


create menu

introduction - facilities - why choose create - floor plans - additional services - contact



create perfection

introduction - facilities - why choose create - floor plans - additional services - contact

A place to meet. To talk. To Create.

The Guoman Tower is unlike any hotel you've ever experienced. Which explains why our meetings and events facilities are different too.

At The Tower, we always remember whose event it is. So our facilities work around you, not vice versa. All our 24 conference rooms are designed to ensure everyone's comfortable and gets the most from their time here. And with our dedicated professional team on hand to help everything run like clockwork, it's the perfect London venue for business or private events. Whatever you've got in mind, we'll make it possible.



Click here to see the full version of this map on the Contact Page.

create excellence

introduction - facilities - why choose create - floor plans - additional services - contact

The Tower Suite

The Tower Suite comprises three individual meeting rooms, subdivided by acoustic walls to ensure total privacy. Each room is air-conditioned, offers individual control panels for lighting and is equipped with 3 phase power. The area also offers a versatile foyer with stunning views of Tower Bridge and the River Thames, which may be subdivided if required.

- Fully refurbished in 2007
- Flexible space which splits into three rooms
- Large reception area with natural daylight and views over the River Thames
- Fully air-conditioned meeting rooms
- Moveable staging and dancefloor
- In-house AV company with on-site technicians
- Three large purpose-built meeting rooms which can be used individually or as one large space
- Total of 550 square metres
- Maximum capacity of 600 guests
- Accessed through private exterior entrance
- Whole area accessible for wheelchair users



create flexibility

introduction - facilities - why choose create - floor plans - additional services - contact

Flexible capacities.

Create comprises of 24 conference rooms that can be set up virtually any way you want.

For larger meetings, events, conferences and bigger get-togethers, you can choose from the impressive, versatile Tower Suite which can be arranged to hold up to 600 theatre-style, or alternatively as three rooms holding up to 200 each. There are also four large rooms, each hosting up to 50 people, four medium rooms for up to 30 as well as two small rooms, able to contain up to 20 each.

For something more formal or intimate, we also have seven Syndicate Rooms seating up to 15 people as well as The Boardroom, hosting up to 16.

And of course, you can have any number of rooms, in any combination, and arranged any way you like. All you have to do is ask.

See the floorplans on the following pages



next >

create flexibility

introduction - facilities - why choose create - floor plans - additional services - contact

High speed Internet


Access available

Teamwork.

And then there's our team. Create is different and so are they. Without exception, they're friendly, resourceful people with flair, imagination and a total commitment to making your event a success.

They have impeccable standards, unrivalled skills and knowledge, and the power to put them to work on your behalf. They can assist with all elements from setting up the audio and visual elements for a function to welcoming your delegates or guests.

So although they're on our payroll, while you're with us, they're working for you.



< previous

Guaranteed lunch time check-in (if required)

Comprehensive range of menu/refreshment options

introduction - facilities - why choose create - floor plans - additional services - contact

Floorplans.

For details of every meeting room at The Tower, please refer to the following floorplans.

Please click on either of the floorplans below to bring up a closer view of that area.








introduction - facilities - why choose create - floor plans - additional services - contact

12th Floor



Please use this floor plan of the 12th floor to choose a meeting room. Simply roll your mouse over the rooms to bring up a detailed floor plan and technical specification of that room.



back to main floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact

Nimrod Suite Specification

Floor of hotel		12th
Air Conditioning		
Air Conditioning		yes
CAPACITIES		
Theatre		22
Classroom		16
Boardroom		16
Hollow Square)	-
U-shape		16
Cabaret		-
Reception		-
Dinner - round	ds	16
Dinner dance		-
BASIC DIMEN	SIONS	
BASIC DIMEN	SIONS - metres	7.14
BASIC DIMEN		7.14 23'5"
	- metres	
Length	- metres - feet	23'5"
Length	- metres - feet - metres	23'5" 5.72 18'9" 2.07
Length Width	- metres - feet - metres - feet	23'5" 5.72 18'9"
Length Width	- metres - feet - metres - feet - metres	23'5" 5.72 18'9" 2.07
Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	23'5" 5.72 18'9" 2.07 6'9"
Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	23'5" 5.72 18'9" 2.07 6'9" 41.00
Length Width Height Area	- metres - feet - metres - feet - metres - feet - metres - feet	23'5" 5.72 18'9" 2.07 6'9" 41.00
Length Width Height Area	- metres - feet	23'5" 5.72 18'9" 2.07 6'9" 41.00 441
Length Width Height Area	- metres - feet	23'5" 5.72 18'9" 2.07 6'9" 41.00 441 1.95 6'4" 0.72
Length Width Height Area ACCESS Door height	- metres - feet	23'5" 5.72 18'9" 2.07 6'9" 41.00 441

Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Nimrod Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Fearless Suite Specification

Floor of hotel		 12th
Air Conditioning		yes
CAPACITIES		
Theatre		-
Classroom		-
Boardroom		14
Hollow Square)	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ls	-
Dinner dance		-
BASIC DIMEN	SIONS	
Length	- metres	7.02
	- feet	23'4"
Width	- metres	5.85
	- feet	19'3"
Height	- metres	2.07
	- feet	6'9"
Area	- metres	41.00
	- feet	441
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols

- D Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Fearless Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Great Harry Suite Specification

Floor of hotel		 12th
Air Conditioning		ves
All Corlationing		усз
CAPACITIES		
Theatre		 45
Classroom		27
Boardroom		22
Hollow Square)	-
U-shape		24
Cabaret		-
Reception		-
Dinner - round	s	28
Dinner dance		=
BASIC DIMEN Length	- metres	9.40
201.941	- feet	30'10"
Width	- metres	5.80
	- feet	19'0"
		190
Height	- metres	2.04
Height	- metres - feet	
Height Area		2.04
	- feet	2.04 6'8"
	- feet - metres	2.04 6'8" 54.50
Area ACCESS	- feet - metres - feet	2.04 6'8" 54.50 586
Area ACCESS	- feet - metres - feet - metres	2.04 6'8" 54.50 586
Area ACCESS Door height	- feet - metres - feet - metres - feet	2.04 6'8" 54.50 586
Area ACCESS	- feet - metres - feet - metres	2.04 6'8" 54.50 586

Key to Symbols

- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Great Harry Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Cutty Sark Suite Specification

Floor of hotel		1 O+b
		12th
Air Conditioning		yes
CAPACITIES		
Theatre		14
Classroom		-
Boardroom		8
Hollow Square	9	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ds .	8
Dinner dance		-
BASIC DIMEN	SIONS metres	5.76
Length	- feet	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	12.21	
Width	- metres	3.53
11.2.1.1	- feet	11'7"
Height	- metres	2.07
Δ.	- feet	6'9"
Area	- metres	20.00
	- feet	215
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"
	1001	24

Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Cutty Sark Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Tyger Suite Specification

		4.011
Floor of hotel		12th
Air Conditioning		yes
CAPACITIES		
Theatre		14
Classroom		-
Boardroom		8
Hollow Square)	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ls	8
Dinner dance		-
BASIC DIMEN	- metres	5.96
Lorigari	- feet	19'7"
Width	- metres	3.52
VVIGUT	- feet	11'7"
Height	- metres	2.07
1 loight	- feet	6'9"
Area	- metres	21.00
7 11 000	- feet	226
ACCESS		
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Tyger Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Great Eastern Suite Specification

Floor of hotel		 12th
Air Conditioning		yes
CAPACITIES		
Theatre		20
Classroom		12
Boardroom		15
Hollow Square)	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ls	16
Dinner dance		-
BASIC DIMEN	SIONS - metres	7.35
Length	- feet	
Width	- netres	3.96
VVIGUT	- feet	3.90 13'0"
Height	- netres	2.22
i leigi it	- feet	7'3"
Area	- netres	29.00
Alea	- feet	312
	- 1661	012
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols


- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ceiling Height

Great Eastern Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Bounty Suite Specification

Floor of botal		1 O±lo
Floor of hotel		12th
Air Conditioning		yes
CAPACITIES		
Theatre		15
Classroom		-
Boardroom		8
Hollow Square	€	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ds	8
Dinner dance		-
BASIC DIMEN	- metres	5.72
2011941	- feet	18'8"
Width	- metres	3.52
*******	- feet	11'7"
Height	- metres	2.08
	- feet	6'10"
Area	- metres	20.00
	- feet	215
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width		
	- metres	0.72
	- metres - feet	0.72 2'4"

Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Bounty Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Belfast Suite Specification

Floor of hotel		 12th
Air Conditioning		yes
CAPACITIES		
Theatre		16
Classroom		-
Boardroom		10
Hollow Square	9	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	ds	-
Dinner dance		-
Length	- metres	5.74
	C 1	
	- feet	18'10"
Width	- teet - metres	3.91
Width		
Width Height	- metres	3.91 12'10" 2.08
	- metres - feet	3.91 12'10"
	- metres - feet - metres	3.91 12'10" 2.08
Height	- metres - feet - metres - feet	3.91 12'10" 2.08 6'10"
Height	- metres - feet - metres - feet - metres	3.91 12'10" 2.08 6'10" 22.50
Height Area	- metres - feet - metres - feet - metres	3.91 12'10" 2.08 6'10" 22.50 242
Height Area ACCESS	- metres - feet - metres - feet - metres - feet - metres - feet	3.91 12'10" 2.08 6'10" 22.50 242
Height Area ACCESS	- metres - feet - metres - feet - metres - feet - metres - feet	3.91 12'10" 2.08 6'10" 22.50 242

Key to Symbols

- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00

Ceiling Height

Belfast Suite Floorplan

Door to Discovery Suite





back to 12th floor floorplan menu



back to main floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact

Endeavour Suite Specification

		4.011
Floor of hotel		12th
Air Conditioning		yes
CAPACITIES		
Theatre		-
Classroom		-
Boardroom		8
Hollow Square		-
U-shape		-
Cabaret		-
Reception		-
Dinner - rounds	3	-
Dinner dance		-
BASIC DIMENS	SIONS	
Length	- metres	5.68
	- feet	18'8"
Width	- metres	3.52
	- feet	11'7"
Height	- metres	2.07
	- feet	6'9"
Area	- metres	19.99
	- feet	214
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols

- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- (D_X) 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Endeavour Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Discovery Suite Specification

Floor of hotel Air Conditioning CAPACITIES Theatre Classroom Boardroom Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSION Length	ONS	12th yes 45 30 28 - 28 - 40 -
Air Conditioning CAPACITIES Theatre Classroom Boardroom Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSIG	ONS	yes 45 30 28 - 28
CAPACITIES Theatre Classroom Boardroom Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSION	ONS	45 30 28 - 28 -
Classroom Boardroom Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSION	ONS	30 28 - 28 -
Boardroom Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSION	ONS	28 - 28 -
Hollow Square U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSIC	ONS	- 28 - -
U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSIG	ONS	-
U-shape Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSIG	ONS	-
Cabaret Reception Dinner - rounds Dinner dance BASIC DIMENSIG	ONS	-
Reception Dinner - rounds Dinner dance BASIC DIMENSIG Length	ONS	- 40 -
Dinner - rounds Dinner dance BASIC DIMENSI Length	ONS	40 -
BASIC DIMENSION	ONS	-
BASIC DIMENSION	ONS	
Width	- metres - feet	10.38 34'0"
V/V/(11f1	.000	5.59
VVIGUI	- metres - feet	5.59 18'4"
Lloight	- netres	2.06
Height	- feet	<u>2.06</u> 6'9"
Area	- netres	58.00
Alea	- feet	624
	- 1661	024
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols


- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- (D_X) 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ceiling Height

Discovery Suite Floorplan





introduction - facilities - why choose create - floor plans - additional services - contact

Resolution Suite Specification

loor of hotel		12th
Air Conditioning		yes
CAPACITIES		
Theatre		16
Classroom		-
Boardroom		10
Hollow Square	€	-
J-shape		-
Cabaret		-
Reception		-
Dinner - round	ds	-
Dinner dance		
BASIC DIMEN	ISIONS	
BASIC DIMEN	- metres	5.90
BASIC DIMEN Length	- metres - feet	19'4"
BASIC DIMEN	- metres - feet - metres	19'4" 4.05
BASIC DIMEN Length Width	- metres - feet - metres - feet	19'4" 4.05 13'3"
BASIC DIMEN Length	- metres - feet - metres - feet - metres	19'4" 4.05
BASIC DIMEN Length Width	- metres - feet - metres - feet	19'4" 4.05 13'3" 2.05
BASIC DIMEN Length Width	- metres - feet - metres - feet - metres - feet - metres	19'4" 4.05 13'3" 2.05 6'8"
BASIC DIMEN Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	19'4" 4.05 13'3" 2.05 6'8" 24.00
BASIC DIMEN Length Width Height Area	- metres - feet	19'4" 4.05 13'3" 2.05 6'8" 24.00 258
BASIC DIMEN Length Width Height	- metres - feet	19'4" 4.05 13'3" 2.05 6'8" 24.00 258
BASIC DIMEN Length Width Height Area	- metres - feet	19'4" 4.05 13'3" 2.05 6'8" 24.00 258

Key to Symbols

- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- (D_X) 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply




Serving Surface



Ceiling Height

Resolution Suite Floorplan





back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Q Suite Specification

		4.011
Floor of hotel		12th
Air Conditioning		yes
CAPACITIES		
Theatre		-
Classroom		-
Boardroom		8
Hollow Square	;	-
U-shape		-
Cabaret		-
Reception		-
Dinner - round	S	8
Dinner dance		-
BASIC DIMEN		5.00
Length	- metres	5.90
A // 111	- feet	19'4"
Width	- metres	3.60
	- feet	11'10"
Height	- metres	2.06
	- feet	6'9"
Area	- metres	21.00
	- feet	226
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	0.72
	- feet	2'4"

Key to Symbols

- D Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- (D_X) 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface



Ceiling Height

Q Suite Floorplan



Door to Britannia Suite



back to 12th floor floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Britannia Suite Specification

Floor of hotel		 12th
Air Conditionin		yes
All Corlationii	<u>'9</u>	усз
CAPACITIES		
Theatre		45
Classroom		30
Boardroom		28
Hollow Square	9	-
U-shape		28
Cabaret		-
Reception		-
Dinner - round	ls	40
Dinner dance		-
BASIC DIMEN	SIONS	
Length	- metres	11.25
	- feet	37'
Width	- metres	5.65
	- feet	18'6"
Height	- metres	2.06
	- feet	6'9"
Area	- metres	63,50
	- feet	683
ACCESS		
ACCESS		
	- metres	1.95
ACCESS Door height	- metres - feet	1.95 6'4"
Door height	- feet	6'4" 0.72
Door height	- feet - metres	6'4"


Key to Symbols

- D Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ceiling Height





introduction - facilities - why choose create - floor plans - additional services - contact

Mayflower Suite Specification

Floor of hotel		12th
Air Conditionin	g	yes
CAPACITIES		
Theatre		30
Classroom		18
Boardroom		14
Hollow Square)	-
U-shape		14
Cabaret		-
Reception		-
Dinner - round	ls	16
Dinner dance		-
BASIC DIMEN		0.10
Length	- metres - feet	6.16 20'3"
Width	- neet	5.95
VVICITI	- feet	5.95 19'6"
Hoight	- netres	2.06
Height	- feet	6'9"
Area	- netres	36.50
Alea	- feet	393
	- 1661	393
ACCESS		
Door height	- metres	1.95
	- feet	6'4"
Door width	- metres	1.40
	- feet	4'8"

Key to Symbols

- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ce

Ceiling Height

Mayflower Suite Floorplan



back to 12th floor floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact

Golden Hind Suite Specification Golden Hind Suite Floorplan

Floor of hotel		12th
Air Conditionir		ves
CAPACITIES	·9	
Theatre		30
Classroom		18
Boardroom		14
Hollow Square	Э	-
U-shape		14
Cabaret		-
Reception		-
Dinner - round	ds	16
Dinner dance		
	ISIONS	-
Dinner dance BASIC DIMEN Length	- metres	6.17
BASIC DIMEN	- metres - feet	20'3"
BASIC DIMEN	- metres - feet - metres	20'3" 5.95
BASIC DIMEN Length Width	- metres - feet - metres - feet	20'3" 5.95 19'6"
BASIC DIMEN	- metres - feet - metres - feet - metres	20'3" 5.95 19'6" 2.06
BASIC DIMEN Length Width Height	- metres - feet - metres - feet - metres - feet - metres	20'3" 5.95 19'6" 2.06 6'9"
BASIC DIMEN Length Width	- metres - feet - metres - feet - metres - feet - metres - feet	20'3" 5.95 19'6" 2.06 6'9" 36.50
BASIC DIMEN Length Width Height	- metres - feet - metres - feet - metres - feet - metres	20'3" 5.95 19'6" 2.06 6'9"
BASIC DIMEN Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	20'3" 5.95 19'6" 2.06 6'9" 36.50
BASIC DIMEN Length Width Height Area	- metres - feet	20'3" 5.95 19'6" 2.06 6'9" 36.50 393
BASIC DIMEN Length Width Height Area ACCESS Door height	- metres - feet	20'3" 5.95 19'6" 2.06 6'9" 36.50 393
BASIC DIMEN Length Width Height Area	- metres - feet	20'3" 5.95 19'6" 2.06 6'9" 36.50 393

Key to Symbols


- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- Fax/Modem socket
- ISDN2 socket
- Microphone socket
- Light switch
- Speaker socket
- 5 pin DMX socket
- 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface

(0.00)

Ceiling Height






back to 12th floor floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact





introduction - facilities - why choose create - floor plans - additional services - contact

Neville Suite Specification

Floor of hotel		upper foyer
Air Conditioning	9	yes
CAPACITIES		
Theatre		50
Classroom		40
Boardroom		18
Hollow Square		-
U-shape		20
Cabaret		-
Reception		-
Dinner - rounds	S	50
Dinner dance		-
BASIC DIMENS		7.00
Length	- metres	7.88
Width	- feet	25'10" 7.70
vviatri	- metres - feet	7.70 26'3"
Lloight	- reet - metres	2.06
Height	- feet	2.06 6'9"
Area	- neet - metres	69
Area	- feet	656
	- 1eet	000
ACCESS		
Door height	- metres	1.98
	- feet	6'6"
Door width	- metres	0.99
	- feet	5'0"

Key to Symbols

- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Neville Suite Floorplan





back to tower suite floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Beaufort Suite Specification

Floor of hotel		, was an far you
		upper foyer
Air Conditionin	<u>19</u>	yes
CAPACITIES		
Theatre		30
Classroom		20
Boardroom		14
Hollow Square)	-
U-shape		22
Cabaret		-
Reception		-
Dinner - round	ds .	30
Dinner dance		-
BASIC DIMEN	- metres	7.05
Longui	- feet	23'2"
Width	- metres	6.05
VVIGUT	- feet	19'10"
Height	- metres	2.06
1 loigi it	- feet	6'9"
Area	- metres	42
7 11 0 0	- feet	452
ACCESS		
Door height	- metres	1.98
	- feet	6'6"
Door width	- metres	1.52
	- feet	5'0"

Key to Symbols

- D Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- (D_X) 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface

0.00

Ceiling Height

Beaufort Suite Floorplan





back to tower suite floorplan menu



back to main floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact

Mortimer Suite Specification

Floor of hotel		upper foyer
Air Conditioni	ng	yes
CAPACITIES		
Theatre		35
Classroom		28
Boardroom		16
Hollow Squar	e	-
U-shape		24
Cabaret		-
Reception		-
Dinner - roun	ds	40
Dinner dance	1	=
BASIC DIMEN		
BASIC DIMEN	NSIONS - metres	7.24
Length	NSIONS - metres - feet	23'9"
	NSIONS - metres - feet - metres	23'9" 6.55
Length Width	NSIONS - metres - feet - metres - feet	23'9" 6.55 21'6"
Length	- metres - feet - metres - feet - metres - feet - metres	23'9" 6.55 21'6" 2.04
Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	23'9" 6.55 21'6" 2.04 6'8"
Length Width	- metres - feet - metres - feet - metres - feet - metres - feet - metres	23'9" 6.55 21'6" 2.04 6'8" 47
Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet	23'9" 6.55 21'6" 2.04 6'8"
Length Width Height	- metres - feet - metres - feet - metres - feet - metres - feet - metres	23'9" 6.55 21'6" 2.04 6'8" 47
Length Width Height Area	- metres - feet - metres - feet - metres - feet - metres - feet - metres	23'9" 6.55 21'6" 2.04 6'8" 47 506
Length Width Height Area	- metres - feet	23'9" 6.55 21'6" 2.04 6'8" 47 506
Length Width Height Area	- metres - feet	23'9" 6.55 21'6" 2.04 6'8" 47 506

Key to Symbols

- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply




Serving Surface



Ceiling Height

Mortimer Suite Floorplan





back to tower suite floorplan menu




back to main floorplan menu



introduction - facilities - why choose create - floor plans - additional services - contact

Tower Suite Combined Floorplan





back to tower suite floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Tower Suite One Specification

Floor of hotel		upper fo	upper foyer	
Air Conditionin	ig yes			
CAPACITIES		Suite 1	Suite 1,2 & 3	
Theatre		210	600	
Classroom		120	350	
Boardroom		-	-	
Hollow Square)	-	-	
U-shape		-	-	
Cabaret		120	320	
Reception		200	600	
Dinner - round	ls	150	500	
Dinner dance		100	450	
BASIC DIMEN		45.05	44.00	
Length	- metres	15.35	41.60	
	- feet	50'4"	136'6"	
Width	- metres	13.25	13.25	
	- feet	43'6"	43'6"	
Height	- metres	3.50	3.50	
	- feet	11'6"	11'6"	
Area	- metres	203	222	
	- feet	2184	2382	
ACCESS				
Door height	- metres	1.98	1.98	
	- feet	6'6"	6'6"	
Door width	- metres	1.52	1.52	
	- feet	5'0"	5'0"	

Key to Symbols


- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface



Ceiling Height





introduction - facilities - why choose create - floor plans - additional services - contact

Tower Suite Two Specification

Floor of hotel		upper fo	upper foyer	
Air Conditionin	ng yes			
CAPACITIES		Suite 2	Suite 1,2 & 3	
Theatre		180	600	
Classroom		84	350	
Boardroom		-	-	
Hollow Square)	-	-	
U-shape		-	-	
Cabaret		72	320	
Reception		150	600	
Dinner - round	ls	110	500	
Dinner dance		80	450	
BASIC DIMEN	- metres	11.45	41.60	
	- feet	37'7"	136'6"	
Width	- metres	13.25	13.25	
	- feet	43'6"	43'6"	
Height	- metres	3.50	3.50	
	- feet	11'6"	11'6"	
Area	- metres	152	551	
	- feet	1635	5928	
ACCESS				
Door height	- metres	1.98	1.98	
	- feet	6'6"	6'6"	
Door width	- metres	1.52	1.52	
	- feet	5'0"	5'0"	

Key to Symbols


- Double 13 amp socket
- Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface



Ceiling Height





introduction - facilities - why choose create - floor plans - additional services - contact

Tower Suite Three Specification

Floor of hotel		upper foyer		
Air Conditioning	g yes			
CAPACITIES		Suite 3	Suite 1,2 & 3	
Theatre		210	600	
Classroom		140	350	
Boardroom		-	-	
Hollow Square		-	-	
U-shape		-	-	
Cabaret		120	320	
Reception		200	600	
Dinner - rounds	S	150	500	
Dinner dance		100	450	
BASIC DIMENS	SIONS			
Length	- metres	14.80	41.60	
	- feet	48'7"	136'6"	
Width	- metres	13.25	13.25	
	- feet	43'6"	43'6"	
Height	- metres	3.50	3.50	
	- feet	11'6"	11'6"	
Area	- metres	196	551	
	- feet	2109	5928	
ACCESS				
Door height	- metres	1.98	1.98	
	- feet	6'6"	6'6"	
Door width	- metres	1.52	1.52	
	- feet	5'0"	5'0"	

Key to Symbols


- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- F Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- 16amp single phase supply
- 32amp single phase supply



Serving Surface


0.00

Ceiling Height



introduction - facilities - why choose create - floor plans - additional services - contact

Bridge Suite Combined Floorplan





back to tower suite floorplan menu





introduction - facilities - why choose create - floor plans - additional services - contact

Bridge Suite One Specification

Floor of hotel		upper foyer	
Air Conditioning		yes	
CAPACITIES		Suite 1	Suite 1&2
Theatre		60	210
Classroom		40	-
Boardroom		25	-
Hollow Square		-	-
U-shape		-	-
Cabaret		35	-
Reception		60	-
Dinner - rounds		120	250
Dinner dance		100	170
BASIC DIMENSION	NS		
Longth	motros	0.00	00.00

Length	- metres	9.23	22.23
	- feet	30'3"	72'11
Width	- metres	8.95	-
	- feet	29'4"	-
Height	- metres	3.50	3.50
	- feet	11'6"	11'6"
Area	- metres	82	222
	- feet	882	2388

ACCECC			
Door height	- metres	1.98	1.98
	- feet	6'6"	6'6"
Door width	- metres	1.52	1.52
	- feet	5'0"	5'0"


Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- D_X 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ceiling Height





introduction - facilities - why choose create - floor plans - additional services - contact

Bridge Suite Two Specification

Floor of hotel		upper foyer	
Air Conditioning		yes	
CAPACITIES		Suite 2	Suite 1&2
Theatre		120	210
Classroom		60	-
Boardroom		40	-
Hollow Square		-	-
U-shape		-	-
Cabaret		63	56
Reception		140	-
Dinner - rounds		80	120
Dinner dance		-	100
BASIC DIMENSIONS			
Length	- metres	13.00	22.23
	- feet	42'8"	72'11"
Width	- metres	10.80	-
	- feet	35'5"	-
Height	- metres	3.50	3.50
	- feet	11'6"	11'6"
Area	- metres	140	222
	- feet	1506	2388
ACCESS			
Door height	- metres	1.98	1.98
	- feet	6'6"	6'6"
Door width	- metres	1.52	1.52
	- feet	5'0"	5'0"


Key to Symbols

- Double 13 amp socket
- S Single 13 amp socket
- TV Aerial point
- Telephone socket
- (F) Fax/Modem socket
- (I) ISDN2 socket
- Microphone socket
- Light switch
- Sp Speaker socket
- 5 pin DMX socket
- (Va) 15 pin VGA socket
- 19 pin lighting connector
- (a) 16amp single phase supply
- 32amp single phase supply



Serving Surface

0.00 Ceiling Height



create for you



introduction - facilities - why choose create - floor plans - additional services - contact

A feast for the senses.

People work best when they feel well looked after. Specifically, when they get enough to eat and drink through the day. Create has the flexibility to offer a choice of dining, either in one of our restaurants, in your meeting room or even having a separate room to dine in, be it for a formal or working lunch, whether it's for 550 or four people.



Traditional English Fayre, serving delicious roast meats, light lunches, salads and desserts in a delightful setting overlooking St Katharine's Dock.



For a more intimate break out for coffee, lunch or a drink, the Gallery offers a wide choice, set against a backdrop of the Thames, Butler's Wharf and Tower Bridge.

BRASSERIE AT THE TOWER HOTEL

For superb dining and sumptuous, mouthwatering cuisine, all prepared to order, The Brasserie chefs are as international as our cuisine.

The hardest choice you'll have to make won't be which dish will tempt your palate the most, but which view you'd prefer to dine against. Tower Bridge, The Tower of London or boats moored in St Katharine's Dock are just some of the views to be enjoyed whilst you dine. A true feast for all the senses.



With stunning views of the Thames and Tower Bridge, this is the perfect place to relax, unwind and enjoy a drink.



next >

create for you

introduction - facilities - why choose create - floor plans - additional services - contact

Offering you more.

If your event runs into a second or third day, The Tower offers all the comfort and convenience you need. Everything about The Tower has been carefully considered to make it the ideal venue for both business and pleasure.

Bedrooms that offer the perfect fusion of form and function, splicing style and comfort with technology and convenience. Bars and restaurants, with everything from a quick coffee and Danish to a leisurely lunch or sumptuous evening meal. A fitness centre for those who like to exercise both the body as well as the mind.

And any time you need a fresh perspective, the best of London is right on the doorstep. The City and West End, are within easy reach as are all the main transport links in and out of town.

Make your next event an occasion to remember – in a venue you'll never forget.



< previous

create perfection

introduction - facilities - why choose create - floor plans - additional services - contact



Directions.

Rail

In close proximity to Waterloo, Liverpool Street, Fenchurch Street and London Bridge.

Underground

Take the Circle & District Lines to Tower Hill or the DLR to Tower Gateway.

Air

London City, London Stansted and London Heathrow

Road

The Tower is situated just outside the Congestion Charge Zone

For more information about Create and the special room rates available at The Tower for delegates and guests, please contact our dedicated sales team on **0871 376 9036**, or email **tower@guoman.com** or visit the website: **www.guoman.com**